

OFFICE OF NAVAL RESEARCH

Contract N00014-86-K-0043

TECHNICAL REPORT No. 82

Remark on the Morphology-Dependent Resonance in the Decay Rate Spectrum for Molecules Near a Spherical Surface

by

Young Sik Kim, P. T. Leung and Thomas F. George

Prepared for Publication

in

Chemical Physics Letters

Departments of Chemistry and Physics State University of New York at Buffalo Buffalo, New York 14260

September 1988

Reproduction in whole or in part is permitted for any purpose of the  ${\tt United}$  States  ${\tt Government}$ .

This document has been approved for public release and sale; its distribution is unlimited.



FCURITY CLA	SSIFICATION (	OF THIS PAGE

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASS Unclassi			16. RESTRICTIVE	MARKINGS		
2a. SECURITY CLASSIFICATIO		<del></del>	3 DISTRIBUTION	AVAILABILITY OF REPO	RT	
				or public releas		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		- poored reread	unlimited			
4. PERFORMING ORGANIZAT	ION REPORT NUMBE	R(S)	5. MONITORING	ORGANIZATION REPORT	NUMBER(S)	
	DC/88/TR-82					
6a. NAME OF PERFORMING		6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MO	NITORING ORGANIZATI	ON	
Depts. Chemistry State University		(ii application)				
6c. ADDRESS (City, State, an			7h ADDRESS (Cir.	Channel 710 Code)		
•			7b. ADDRESS (City, State, and ZIP Code) Chemistry Program			
Fronczak Hall, A	•		800 N. Quincy Street			
Buffalo, New Yor	K 1426U		1	, Virginia 2221	7	
8a. NAME OF FUNDING/SPC	NSORING	86. OFFICE SYMBOL		INSTRUMENT IDENTIFIC	*	
ORGANIZATION	D '	(If applicable)		Contract NOO014-		
Office of Naval 8c. ADDRESS (City, State, and		l		UNDING NUMBERS		
Chemistry Program			PROGRAM	PROJECT TASK	WORK UNIT	
800 N. Quincy St			ELEMENT NO.	NO. NO	ACCESSION NO	
Arlington, Virgin						
11. TITLE (Include Security C	lassification)			<u> </u>		
-		rk on the Morph				
	Rate	Spectrum for Mo	olecules Near	r a Spherical Su	rface	
12. PERSONAL AUTHOR(S)	Young Sik Kim	D T Loung or	nd Thomas E	Coorse	<u> </u>	
		, P. T. Leung a			, <u></u>	
13a. TYPE OF REPORT	13b. TIME CO			RT (Year, Month, Day) aber 1988	15. PAGE COUNT 13	
16. SUPPLEMENTARY NOTAT		TQ:	septen	IDCI 1700	1.5	
	_	n in Chemical Pl	hysias latte	••		
rrepared r	or publicatio	u in onemical P	mysics Letter	5		
17. COSATI	CODES	18. SUBJECT TERMS (	Continue on reverse	e if necessary and ident	ify by block number)	
FIELD GROUP	SUB-GROUP	MOLECULES,		ADDITIONAL R	ESONANCE STRUCTURE	
V		NEAR SPHERICAL		MORPHOLOGY D		
		DECAY RATE SPE		PLASMON .	R.F. m	
19. ABSTRACT (Continue on	reverse if necessary	and identify by block n	umber)		7	
It is known	that in the d	ecay rate spect:	rum for moles	ulaa naan a ast	andaal	
TC 15 KHUWII	chac in the d	ecay rate specti	ram tot motec	utes near a sph	erical surface,	
an extra morphology-dependent resonance structure appears in addition to the usual surface						
plasmon resonance $(\omega_{\rm sp}^{\rm c} \approx \omega_{\rm p}^{\rm bulk}/\sqrt{3})$ . Here an alternative but more physical interpretation						
plasmon resonance	ະ (ພິ <sub>sp</sub> ≈ີພ່ <sup>bul</sup>	$(k/\sqrt{3})$ . Here an	alternative	but more physic	al interpretation	
of these peaks is given, where it is seen that the morphology-dependent peak can be						
described only in a dynamic retarded theory						
described only in a dynamic retarded theory.						
20. DISTRIBUTION / AVAILABI	_			CURITY CLASSIFICATION		
■ UNCLASSIFIED/UNLIMITED ■ SAME AS RPT. □ DTIC USERS			nclassified			
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. David L. Nelson				Include Area Code) 22c	OFFICE SYMBOL	
	Melson	0-11-1-11	(202) 696-4			
DD Form 1473, JUN 86		Previous editions are	o <b>osolete</b> .	SECURITY CLASSI	FICATION OF THIS PAGE	

# Remark on the Morphology-Dependent Resonance in the Decay Rate Spectrum for Molecules Near a Spherical Surface

Young Sik Kim\*, P. T. Leung and Thomas F. George Departments of Chemistry and Physics & Astronomy 239 Fronczak Hall State University of New York at Buffalo Buffalo, New York 14260

### Abstract

It is known that in the decay rate spectrum for molecules near a spherical surface, an extra morphology-dependent resonance structure appears in addition to the usual surface plasmon resonance ( $\omega_{\rm sp} \approx \omega_{\rm p}^{\rm bulk}/\sqrt{3}$ ). Here an alternative but more physical interpretation of these peaks is given, where it is seen that the morphology-dependent peak can be described only in a dynamic retarded theory.

\* Also affiliated with: Department of Chemistry
University of Rochester
Rochester, New York 14267

#### 1. Introduction

It is well known that morphological effects play a very important role in surface spectroscopic studies [1], and in particular, decay rates for molecules located near a sphere (which serves as a prototype surface structure) have been reported extensively in the literature [2-6].

Previously, the behavior of the decay rates as functions of the molecule-surface distance and molecular orientation has been studied. In addition, it has been observed that the simple nonretarded image theory can be very inaccurate for large molecule-surface distances or highly-conducting spheres [5]. In this work, we shall study further the decay rate spectrum as a function of emission frequency within the context of the dynamic energy transfer theory (ET) [3-6] and compare it with the results obtained from the static image theory (IT) [2]. We shall see that the morphology-dependent peak obtained previously by Ruppin [3] can be interpreted as the radiative energy transfer resonance between the molecule and the sphere, and that such peak can be described only in the context of the dynamic theory.

#### 2. Brief Summary of Previous Results

Let us consider the simplest case of a radial dipole located at (d,0,0) above a sphere of radius a. By assuming a quantum yield of unity, the total (T) and radiative (R) normalized decay rates have been obtained previously within ET in the form [6]

$$\frac{\gamma_{\rm T}^{\rm ET}}{\gamma_0} = 1 + \frac{3}{2} \, \text{Re} \sum_{n=1}^{\infty} (2n+1) \, n(n+1) \, B_n \left[ \frac{h_n^{(1)}(kd)}{kd} \right]^2 , \qquad (1)$$

$$\frac{\gamma_{R}^{ET}}{\gamma_{0}} = \frac{3}{2} \sum_{n=1}^{\infty} n(n+1)(2n+1) \left| \frac{j_{n}(kd) + B_{n}h_{n}^{(1)}(kd)}{kd} \right|^{2} , \qquad (2)$$

where  $j_n$  and  $h_n^{(1)}$  are the spherical Bessel and Henkel functions, and  $k = \omega/c$  is the wave number of the molecular emission.  $B_n$  is a kind of "Mie coefficient" defined by

$$B_{n} = \frac{j_{n}(ka) \ \psi'_{n}(\sqrt{\epsilon}ka) - \epsilon \ j_{n}(\sqrt{\epsilon}ka) \ \psi'_{n}(ka)}{\epsilon \ j_{n}(\sqrt{\epsilon}ka) \ \zeta'_{n}(ka) - h_{n}^{(1)}(ka) \ \psi'_{n}(\sqrt{\epsilon}ka)} \ ,$$

with  $\psi_n(x) \equiv x j_n(x)$ ,  $\zeta_n(x) \equiv x h_n^{(1)}(x)$ , and  $\epsilon(\omega)$  is the complex dielectric function of the substrate sphere. The nonradiative (NR) rate can then be obtained as a difference between (1) and (2). On the other hand, upon adopting the simpler nonretarded IT, one obtains [5]


$$\frac{\gamma_{\rm T}^{\rm IT}}{\gamma_0} = 1 + \frac{3}{2k^3} \, \text{Im} \sum_{n=1}^{\infty} \alpha_{\rm n}(\omega) \, \frac{(n+1)^2}{d^2(n+2)} \quad , \tag{4}$$

where the n-pole polarizability  $\alpha_{n}(\omega)$  is given by

$$\alpha_{n}(\omega) = \frac{n(\epsilon-1)}{n(\epsilon+1)+1} a^{2n+1} . \tag{5}$$

Strictly speaking, we cannot have radiative transfer in IT since the dipole cannot radiate in the static limit [7]. Nevertheless, Gersten and Nitzan

(GN) [2] have devised a simple model to include the radiative transfer within IT, and their result for a radial dipole is obtained as



DTIQ COPY NSPECTED

$$\frac{\gamma_{R}^{IT}}{\gamma_{0}} = \left|1 + 2\left(\frac{\underline{a}}{d}\right)^{3} \frac{\epsilon - 1}{\epsilon + 2}\right|^{2} . \tag{6}$$

Previously, we have studied in detail the different distance behaviors of expressions (1) and (2) as compared to those of (4) and (6) [5-7]. Here we want to compare the two theories by studying the decay rate spectrum as a function of the emission frequency  $\omega$ . Before we present our numerical results, it is interesting to point out that the "resonance structure" implied from ET is very different from that obtained wintin IT. While in ET resonance arises from the singular behavior of  $B_n$  which depends on both the dielectric ( $\epsilon$ ) and geometrical (a) properties of the sphere (the "Mie resonances"), the situation in IT is quite different and depends only on the dielectric property of the sphere. We shall illustrate these features through numerical computations in the next section.

#### 3. Numerical Results

Figure 1 shows the total decay rates according to both ET and IT for a radial dipole located at (d,0,0) with d=1000 Å above a silver sphere for three different values of the radius a (with the actual molecule-surface distance d-a ranging from 50 to 500 Å). It can be seen that IT (dotted curves) becomes more inaccurate as the molecule is located farther from the sphere (note the log scale for  $\gamma_{\rm T}/\gamma_0$ ) [5]. But what is of more interest is the appearance of an extra resonance structure in ET (solid curves) in addition to the ordinary surface plasmon peak with  $\omega_{\rm sp} \approx \omega_{\rm p}^{\rm bulk}/\sqrt{3}$  [3]. At the low-frequecy end, this extra peak appears in ET with its position and magnitude vary according to the size of the sphere, while only the ordinary plasmon peak shows up in IT. While Ruppin [3] explained the origin of these

peaks in terms of the dipole (l-1) and higher multipole contributions (l > 1), here we present a slightly different interpretation. In fig. 2, we show the separate contributions from the radiative (dotted) and nonradiative (dashed) transfers to the total rate according to ET. It is clear that this new peak arises from the resonance behavior of the radiative transfer which of course is absent in the nonretarded IT. This peak may grow to overshadow the ordinary plasmon peak, to appear like a peak-shift in the decay rate spectrum (fig. lc). A similar peak-shift phenomenon has been observed before in surface enhanced Rahman scattering [8]. In fig. 3 we show the same calculation for the configuration of fig. 2 using IT and the GN model for the radiative rate (eq. (6)). From the comparison of figs 2 and 3, we see clearly that IT describes the nonradiative transfers quite accurately and the GN model for the radiative rate within IT is inaccurate. Furthermore, the peak for  $\gamma_R^{\mbox{\footnotesize IT}}$  according to the GN model cannot move according to different sizes of the sphere, since it is completely determined by the dielectric property of the sphere as revealed in eq. (6). This, of course, contradicts the exact result as shown in fig. 1.

## 4. Discussion and Conclusion

Since the exact dynamics for any dipole-substrate system generally presents a rather complicated mathematical problem, it has been a wide belief [2,9,10] that under ordinary experimental situations where the molecule-surface distance (s  $\sim 10^2$  Å) is much smaller than the emission wavelength ( $\lambda \sim 10^3$  Å), the simpler nonretarded theory (IT) can be applied instead. Previously, we have pointed out that this is only true if the conductivity of the substrate is relatively low so that s is much smaller than  $\delta$ , the skin depth of the substrate [11]. In this present work, we have

observed further that for a rough surface (a sphere in this case), the condition s <<  $\lambda$  is not sufficient if the emission frequency is within the resonance peak of the radiative transfer (see fig. la where s = 50 Å <<  $\lambda$  - $10^3$  Å). The decay rate spectrum for a molecule near a rough surface according to the dynamic theory should have a multipeak structure in general, and a "shift" in the ordinary peak may seem to occur as explained above. This should shed some light on the earlier controversy as to whether surface roughness may lead to a peak-shift in the energy loss spectrum as observed in an experiment of electron scattering upon a Mo surface [12]. This multipeak phenomenon does not happen for the case of a flat surface (where the conditions s <<  $\lambda$  and s <<  $\delta$  are sufficient for IT to be valid), since the surface plasmon mode cannot couple to the radiative mode without the presence of roughness. However, the phenomenon of the morphologydependent peaks should be very general and should occur for any kind of rough surfaces. In fact, we have recently observed a similar multipeak phenomenon for the case of a grating surface [13]. Hence we conclude that the exact dynamic theory for the classical decay rates of molecules at rough surfaces contains much richer features which the simpler image theory (or the GN type approach to radiative decay) cannot adequately describe, irrespect of the usual situation where the molecule-surface distance is much smaller than the emission wavelength.

#### Acknowledgments

This research was supported by the Office of Naval Research, the Air Force Office of Scientific Research (AFSC), United States Air Force, under Contract F49620-86-C-0009, and the National Science Foundation under Grant


CHE-8620274. The United States Government is authorized to reproduce and distribute reprints notwithstanding any copyright notation hereon.


### References


- [1] See, e.g., H. Metiu, Progr. Surface Sci. 17 (1984) 153; M. Moskovits, Rev. Mod. Phys. 57 (1985) 783.
- [2] J. I. Gersten and A. Nitzan, Surface Sci. 158 (1985) 165, and references therein.
- [3] R. Ruppin, J. Chem. Phys. 76 (1982) 1681.
- [4] H. Chew, J. Chem. Phys. 87 (1987) 1355.
- [5] P. T. Leung and T. F. George, J. Chem. Phys. 87 (1987) 6722.
- [6] Y. S. Kim, P. T. Leung and T. F. George, Surface Sci. 195 (1988) 1.
- [7] P. T. Leung, Y. S. Kim and T. F. George, J. Phys. Chem. (in press).
- [8] K. Ohtaka and M. Inoue, J. Phys. C 15 (1982) 6463.
- [9] L. E. Brus, J. Chem. Phys. 73 (1980) 940; 74 (1981) 737.
- [10] N. Liver, A. Nitzan and K. F. Freed, J. Chem. Phys. 82 (1985) 3831.
- [11] P. T. Leung, T. F. George and Y. C. Lee, J. Chem. Phys. 86 (1987) 7227.
- [12] J. Lecante, Y. Ballu and D. M. Newns, Phys. Rev. Lett. 38 (1977) 36; T. Rahman and A. A. Maradudin, Phys. Rev. B 21 (1980) 504.
- [13] P. T. Leung, Y. S. Kim and T. F. George, Phys. Rev. B (in press).

## Figure Captions

- 1. Decay rate spectrum for a molecule located at d = 1000 Å from the center of a Ag sphere for various values of the radius a. Curve a: a = 950 Å; curve b: a = 750 Å; curve c: a = 500 Å. The solid curves represent the results from the dynamic theory (ET) and the dotted curves the results from the image theory (IT).
- 2. Decay rate spectrum for a molecule located at d = 700 Å from the center of a Ag sphere of radius a = 500 Å according to the dynamic theory. The solid, dotted and dashed curves denote the total, radiative and nonradiative rates, respectively.
- 3. Same as Fig. 2, except that the image theory is applied. The solid and dotted curves denote the total and radiative rates, respectively.







# Q\_/1113/86/2

# TECHNICAL REPORT DISTRIBUTION LIST. GEN

	No. Copies		No. Copies
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Or. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 2770	1 <b>9</b>
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 1911:	1 2
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1
		Dr. David L. Nelson Chemistry Division Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217	1

Dr. J. E. Jensen Hughes Research Laboratory 3011 Malibu Canyon Road Malibu, California 90265

Dr. J. H. Weaver
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. A. Reisman Microelectronics Center of North Carolina Research Triangle Park, North Carolina 27709

Dr. M. Grunze Laboratory for Surface Science and Technology University of Maine Orono, Maine 04469

Dr. J. Butler Naval Research Laboratory Code 6115 Washington D.C. 20375-5000

Dr. L. Interante Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. Irvin Heard Chemistry and Physics Department Lincoln University Lincoln University, Pennsylvania 19352

Dr. K.J. Klaubunde Department of Chemistry Kansas State University Manhattan, Kansas 66506 Dr. C. B. Harris Department of Chemistry University of California Berkeley, California 94720

Dr. F. Kutzler
Department of Chemistry
Box 5055
Tennessee Technological University
Cookesville, Tennessee 38501

Dr. D. DiLella Chemistry Department George Washington University Washington D.C. 20052

Dr. R. Reeves Chemistry Department Renssaeler Polytechnic Institute Troy, New York 12181

Dr. Steven M. George Stanford University Department of Chemistry Stanford, CA 94305

Dr. Mark Johnson Yale University Department of Chemistry New Haven, CT 06511-8118

Dr. W. Knauer Hughes Research Laboratory 3011 Malibu Canyon Road Malibu, California 90265

Cr. G. A. Somorjai Department of Chemistry University of California Berkeley, California 94720

Dr. J. Murday Naval Research Laboratory Code 6170 Washington, D.C. 20375-5000

Dr. J. B. Hudson Materials Division Rensselaer Polytechnic Institute Troy, New York 12181

Dr. Theodore E. Madey
Surface Chemistry Section
Department of Commerce
National Bureau of Standards
Washington, D.C. 20234

Dr. J. E. Demuth
IBM Corporation
Thomas J. Watson Research Center
P.O. Box 218
Yorktown Heights, New York 10598

Dr. M. G. Lagally
Department of Metallurgical
and Mining Engineering
University of Wisconsin
Madison, Wisconsin 53706

Dr. R. P. Van Duyne Chemistry Department Northwestern University Evanston, Illinois 60637

Dr. J. M. White Department of Chemistry University of Texas Austin, Texas 78712

Or. D. E. Harrison Department of Physics Naval Postgraduate School Monterey, California 93940 Dr. R. L. Park
Director, Center of Materials
Research
University of Maryland
College Park, Maryland 20742

Dr. W. T. Peria Electrical Engineering Department University of Minnesota Minneapolis, Minnesota 55455

Dr. Keith H. Johnson
Department of Metallurgy and
Materials Science
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. S. Sibener Department of Chemistry James Franck Institute 5640 Ellis Avenue Chicago, Illinois 60637

Accid
Dr. Amold Green
Quantum Surface Dynamics Branch
Code 3817
Naval Weapons Center
China Lake, California 93555

Dr. A. Wold Department of Chemistry Brown University Providence, Rhode Island 02912

Dr. S. L. Bernasek Department of Chemistry Princeton University Princeton, New Jersey 08544

Dr. W. Kohn
Department of Physics
University of California, San Diego
La Jolla, California 92037

Dr. F. Carter Code 6170 Naval Research Laboratory Washington, D.C. 20375-5000

Or. Richard Colton Code 6170 Naval Research Laboratory Washington, D.C. 20375-5000

Dr. Dan Pierce National Bureau of Standards Optical Physics Division Washington, D.C. 20234

Dr. R. Stanley Williams Department of Chemistry University of California Los Angeles, California 90024

Dr. R. P. Messmer Materials Characterization Lab. General Electric Company Schenectady, New York 22217

Dr. Robert Gomer Department of Chemistry James Franck Institute 5640 Ellis Avenue Chicago, Illinois 60637

Dr. Ronald Lee R301 Naval Surface Weapons Center White Oak Silver Spring, Maryland 20910

Dr. Paul Schoen Code 6190 Naval Research Laboratory Washington, D.C. 20375-5000 Dr. John T. Yates Department of Chemistry University of Pittsburgh Pittsburgh, Pennsylvania 15260

Dr. Richard Greene Code 5230 Naval Research Laboratory Washington, D.C. 20375-5000

Dr. L. Kesmodel
Department of Physics
Indiana University
Bloomington, Indiana 47403

Dr. K. C. Janda University of Pittsburg Chemistry Building Pittsburg, PA 15260

Dr. E. A. Irene Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton 509 5NH UNITED KINGDOM

Dr. H. Tachikawa Chemistry Department Jackson State University Jackson, Mississippi 39217

Dr. John W. Wilkins Cornell University Laboratory of Atomic and Solid State Physics Ithaca, New York 14853

- Dr. R. G. Wallis Department of Physics University of California Irvine, California 92664
- Dr. D. Ramaker Chemistry Department George Washington University Washington, D.C. 20052
- Dr. J. C. Hemminger Chemistry Department University of California Irvine, California 92717
- Dr. T. F. George Chemistry Department University of Rochester Rochester, New York 14627
- Dr. G. Rubloff IBM Thomas J. Watson Research Center P.O. Box 218 Yorktown Heights, New York 10598
- Or. Horia Metiu Chemistry Department University of California Santa Barbara, California 93106
- Dr. W. Goddard
  Department of Chemistry and Chemical
  Engineering
  California Institute of Technology
  Pasadena, California 91125
- Or. P. Hansma
  Department of Physics
  University of California
  Santa Barbara, California 93106
- Dr. J. Baldeschwieler
  Department of Chemistry and
  Chemical Engineering
  California Institute of Technology
  Pasadena, California 91125

- Dr. J. T. Keiser Department of Chemistry University of Richmond Richmond, Virginia 23173
- Dr. R. W. Plummer Department of Physics University of Pennsylvania Philadelphia, Pennsylvania 19104
- Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 41106
- Dr. N. Winograd
  Department of Chemistry
  Pennsylvania State University
  University Park, Pennsylvania 16802
- Dr. Roald Hoffmann Department of Chemistry Cornell University Ithaca, New York 14853
- Dr. A. Steck1
  Department of Electrical and
  Systems Engineering
  Rensselaer Polytechnic Institute
  Troy, NewYork 12181
- Dr. G.H. Morrison Department of Chemistry Cornell University Ithaca, New York 14853